

SOCKETS & SWITCHES

www.trendiswitch.com

PRODUCT GUIDE 2.0

ARE YOU READY TO BE DEFINED BY DESIGN

Trendi Switch is a complete range of unique light switches and sockets, available in Ice White, Silver, Piano Black and Champagne Gold finishes. Design led for an elegant, seamless, retro re-fit, you can trust Trendi Switch throughout your project. Manufactured and design in the UK giving you full confidence in the innovative engineering that puts this range of products in a league of their own.

This easy to clean product has fireproof ABS plastic module casing and a high quality plastic face plate that won't fade. The product is suitable for all commercial and residential environments with multiple design variations to ensure there is a product to meet your requirements.

trendiswitch






1 & 2 GANG LIGHT **SWITCHES**

- · Easy to install Switch (Simply replace old socket no additional wiring required).
- Fireproof ABS Plastic module casing and face plate.
- High quality plastic face plate, which will not fade in direct sunlight or scratch easily.
- Easy clean product, allowing you to keep it looking as good as new.
- 5 year manufacturers guarantee.





Item Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SS2WH	Artistic Modern 1 Gang 2 Way	10 Amp	Ice White	90g	89mmx89mx9mm	25mm (Min)
ART-SS2SI	Artistic Modern 1 Gang 2 Way	10 Amp	Silver	90g	89mmx89mx9mm	25mm (Min)
ART-SS2BK	Artistic Modern 1 Gang 2 Way	10 Amp	Piano Black	90g	89mmx89mx9mm	25mm (Min)
ART-SS2GO	Artistic Modern 1 Gang 2 Way	10 Amp	Champagne Gold	90g	89mmx89mx9mm	25mm (Min)
ART-SS4WH	Artistic Modern 2 Gang 2 Way	10 Amp	Ice White	95g	89mmx89mx9mm	25mm (Min)
ART-SS4SI	Artistic Modern 2 Gang 2 Way	10 Amp	Silver	95g	89mmx89mx9mm	25mm (Min)
ART-SS4BK	Artistic Modern 2 Gang 2 Way	10 Amp	Piano Black	95g	89mmx89mx9mm	25mm (Min)
ART-SS4GO	Artistic Modern 2 Gang 2 Way	10 Amp	Champagne Gold	95g	89mmx89mx9mm	25mm (Min)

+44(0)203 5899 520





3 & 4 GANG LIGHT SWITCHES

- Easy to install Switch (Simply replace old socket, no additional wiring required).
- Fireproof ABS Plastic module casing and face plate.
- High quality plastic face plate, which will not fade in direct sunlight or scratch easily.
- Easy clean product, allowing you to keep it looking as good as new.
- 5 year manufacturers guarantee.





89mm

89mm

CE

Certified

ABS

Fireproof

. ABS Plastic



89mm

89mm

9mm

Double

Insulated

4 GANG LIGHT **SWITCHES**

- Easy to install Switch (Simply replace old socket, no additional wiring required).
- Fireproof ABS Plastic module casing and face plate.
- · High quality plastic face plate, which will not fade in direct sunlight or scratch easily.
- Easy clean product, allowing you to keep it looking as good as new.
- 5 year manufacturers guarantee.



ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SS44WH Artis	tic 4 Gang 2 Way Switch	10 A	Ice White	160g	89mmx149mx8mm	25mm (Min)
ART-SS44SI Artis	tic 4Gang 2 Way Switch	10 A	Silver	160g	89mmx149mx8mm	25mm (Min)
ART-SS44BK Artis	tic 4 Gang 2 Way Switch	10 A	Piano Black	160g	89mmx149mx8mm	25mm (Min)
ART-SS44GO Artis	tic 4 Gang 2 Way Switch	10 A	Champagne Gold	160g	89mmx149mx8mm	25mm (Min)

sales@trendiswitch.com

+44(0)203 5899 520

www.trendiswitch.com

trendiswitch

sales@trendiswitch.com




+44(0)203 5899 520

6 GANG LIGHT **SWITCHES**

- Easy to install Switch (Simply replace old socket, no additional wiring required).
- Fireproof ABS Plastic module casing and face plate.
- High quality plastic face plate, which will not fade in direct sunlight or scratch easily.
- Easy clean product, allowing you to keep it looking as good as new.
- 5 year manufacturers guarantee.







trendiswitch

ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SS66WH	Artistic 6 Gang 2 Way Switch	10 A	Ice White	160g	89mmx149mx8mm	25mm (Min)
ART-SS66SI	Artistic 6 Gang 2 Way Switch	10 A	Silver	160g	89mmx149mx8mm	25mm (Min)
ART-SS66BK	Artistic 6 Gang 2 Way Switch	10 A	Piano Black	160g	89mmx149mx8mm	25mm (Min)
ART-SS66GO	Artistic 6 Gang 2 Way Switch	10 A	Champagne Gold	160g	89mmx149mx8mm	25mm (Min)

www.trendiswitch.com

8 GANG LIGHT **SWITCHES**

- Easy to install Switch (Simply replace old socket, no additional wiring required).
- Fireproof ABS Plastic module casing and face plate.
- High quality plastic face plate, which will not fade in direct sunlight or scratch easily.
- Easy clean product, allowing you to keep it looking as good as new.
- 5 year manufacturers guarantee.



ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SS88WH	Artistic 8 Gang 2 Way Switch	10 A	Ice White	160g	89mmx149mx8mm	25mm (Min)
ART-SS88SI	Artistic 8 Gang 2 Way Switch	10 A	Silver	160g	89mmx149mx8mm	25mm (Min)
ART-SS88BK	Artistic 8 Gang 2 Way Switch	10 A	Piano Black	160g	89mmx149mx8mm	25mm (Min)
ART-SS88GO	Artistic8 Gang 2 Way Switch	10 A	Champagne Gold	160g	89mmx149mx8mm	25mm (Min)
			400000 5000 500			

sales@trendiswitch.com

+44(0)203 5899 520

sales@trendiswitch.com

+44(0)203 5899 520



trendiswitch

1 GANG INTERMEDIATE SWITCHES

Operated by a long chrome, vertical designer Rocker Switch. It not only looks good, but is nice & easy to locate and flick on & off. Choose from ice white, silver, champagne gold or piano black faces to update all your old, existing switches.





Item Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SS9WH Ar	rtistic 1 Gang 3 Way Switch	10 A	Ice White	75g	89mmx89mx9mm	25mm (Min)
ART-SS9SI Ar	rtistic 1 Gang 3 Way Switch	10 A	Silver	75g	89mmx89mx9mm	25mm (Min)
ART-SS9BK Ar	rtistic 1 Gang 3 Way Switch	10 A	Piano Black	75g	89mmx89mx9mm	25mm (Min)
ART-SS9GO Ar	rtistic 1 Gang 3 Way Switch	10 A	Champagne Gold	75g	89mmx89mx9mm	25mm (Min)

sales@trendiswitch.com

+44(0)203 5899 520

www.trendiswitch.com

9mm

ABS

Fireproof

. ABS Plastic

2 & 4 GANG **INTERMEDIATE** SWITCHES

Operated by a long chrome vertical designer rocker switch. The interchangeable modules created by Trendi Switch allows our customers the option to design their own bespoke combinations of functionality to suit their lighting needs. You can mix up to 4 switches on a plate that can utilise the 2 Way or Intermediate function. Choose from ice white, silver, champagne gold or piano black faces to update all your old existing switches.

trendiswitch




Item Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SS29**	Artistic 2 Gang 2 Way/ Intermediate	10 A	Ice White	90g	89mmx89mx9mm	25mm (Min)
ART-SS99**	Artistic 2 Gang Intermediate	10 A	Silver	90g	89mmx89mx9mm	25mm (Min)
ART-SS2999**	Artistic 4 Gang 2 Way/ 3x Intermediate	10 A	Piano Black	90g	89mmx89mx9mm	25mm (Min)
ART-SS2299**	Artistic 4 Gang 2x2 Way/ 2x Intermediate	10 A	Champagne Gold	90g	89mmx89mx9mm	25mm (Min)
ART-SS2229**	Artistic 4 Gang 3x 2 Way/ Intermediate	10 A	Ice White	90g	89mmx89mx9mm	25mm (Min)
ART-SS9999***	Artistic 4 Gang Intermediate	10 A	Silver	90g	89mmx89mx9mm	25mm (Min)
	sales@trendiswitch.com	+44(0)203 5899 520		www.trendiswitch.cc	m



TELEPHONE & PC ETHERNET

These stylish sockets are RJ11 and RJ45 compliant and combine great engineering with an elegant, slimline design and are part of the full Trendiswitch range. Choose from ice white, silver, champagne gold or piano black faces to update all your old, existing sockets.





Item Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-TLP+PCWH	Telephone & PC Ethernet	N/A	Ice White	65g	88mmx88mx12mm	35mm (Min)
ART-TLP+PCSI	Telephone & PC Ethernet	N/A	Silver	65g	88mmx88mx12mm	35mm (Min)
ART-TLP+PCBK	Telephone & PC Ethernet	N/A	Piano Black	65g	88mmx88mx12mm	35mm (Min)
ART-TLP+PCGO	Telephone & PC Ethernet	N/A	Champagne Gold	65g	88mmx88mx12mm	35mm (Min)
	sales@trendiswitch.com	+4	4(0)203 5899 520)	www.trendiswitch.co	m

SINGLE SOCKET


– Easy to install Socket (Simply replace old socket, no additional wiring required).

– Fireproof ABS Plastic module casing and face plate.

– High quality plastic face plate, which will not fade in direct sunlight or scratch easily.

– Easy clean product, allowing you to keep it looking as good as new.

– 5 year manufacturers guarantee.



sales@trendiswitch.com


+44(0)203 5899 520



lour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
White	95g	89mmx89mx9mm	25mm (Min)
lver	95g	89mmx89mx9mm	25mm (Min)
Black	95g	89mmx89mx9mm	25mm (Min)
agne Gold	95g	89mmx89mx9mm	25mm (Min)

SINGLE SOCKET WITH USB PI UGS

Trendi Switch 1 gang 13 amp USB Socket. This short switched version of the original Trendi Switch socket has been given an upgrade of 2 new USB charging points. These will charge at a steady flow of 2.1MA giving you that extra boost on your devices.





13A

trendiswitch Weight | Dimensions (H)x(W)x(D) | Required Backbox Model Max Current Colour 1 Gang Switched Single Socket With 2 x 2.1 Mah USB Ice White 115g 35mm (Min) 13A 89mmx89mx9mm 1 Gang Switched Single Socket With 2 x 2.1 Mah USB 13A Silver 115g 89mmx89mx9mm 35mm (Min) 1 Gang Switched Single 13A Piano Black 115g 89mmx89mx9mm 35mm (Min) Socket With 2 x 2.1 Mah USB

115g

DOUBLE SOCKET

LONG ROCKER SWITCH

- Easy to install Socket (Simply replace old socket, no additional wiring required).
- Fireproof ABS Plastic module casing and face plate.
- High quality plastic face plate, which will not fade in direct sunlight or scratch easily.
- Easy clean product, allowing you to keep it looking as good as new.
- 5 year manufacturers guarantee.



1)

ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SKT213LWH	Artistic 2 Gang Screwless Socket Long Rockers	13A	Ice White	135g	89mmx149mx9mm	25mm (Min)
ART-SKT213LSI	Artistic 2 Gang Screwless Socket Long Rockers	13A	Silver	135g	89mmx149mx9mm	25mm (Min)
ART-SKT213LBK	Artistic 2 Gang Screwless Socket Long Rockers	13A	Piano Black	135g	89mmx149mx9mm	25mm (Min)
ART-SKT213LGO	Artistic 2 Gang Screwless Socket Long Rockers	13A	Champagne Gold	135g	89mmx89mx9mm	25mm (Min)

sales@trendiswitch.com

1 Gang Switched Single Socket With 2 x 2.1 Mah USB

Item Code

ART-SKT13USBWH

ART-SKT13USBSI

ART-SKT13USBBK

ART-SKT13USBGO

+44(0)203 5899 520

Champagne Gold

www.trendiswitch.com

89mmx89mx9mm

89mm

Fireproof


9mm

35mm (Min)

Earthed

sales@trendiswitch.com





trendiswitch

+44(0)203 5899 520


DOUBLE SOCKET SHORT ROCKER SWITCH

– Easy to install Socket (Simply replace old socket, no additional wiring required). – Fireproof ABS Plastic module casing and face plate. – High quality plastic face plate, which will not fade in direct sunlight or scratch easily. - Easy clean product, allowing you to keep it looking as good as new.

-5 year manufacturers guarantee.







trendiswitch

ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SKT213WH	Artistic 2 Gang Screwless Socket Short Rockers	13A	Ice White	135g	85mmx145mx10mm	25mm (Min)
ART-SKT213SI	Artistic 2 Gang Screwless Socket Short Rockers	13A	Silver	135g	85mmx145mx10mm	25mm (Min)
ART-SKT213BK	Artistic 2 Gang Screwless Socket Short Rockers	13A	Piano Black	135g	85mmx145mx10mm	25mm (Min)
ART-SKT213GO	Artistic 2 Gang Screwless Socket Short Rockers	13A	Champagne Gold	135g	85mmx145mx10mm	25mm (Min)

DOUBLE SOCKET WITH 4 USB PLUGS

Trendi Switch 2 gang 13 amp USB Socket. This short switched version of the original Trendi Switch socket has been given an upgrade of 4 new USB charging points. These will charge at a steady flow of 2.1MA, giving you that extra boost on your devices.



Item Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SKT213USBWH	2 Gang Switched Double Socket With 4 X 2.1Mah USB	13A	Ice White	215g	89mmx149mx9mm	35mm (Min)
ART-SKT213USBSI	2 Gang Switched Double Socket With 4 X 2.1Mah USB	13A	Silver	215g	89mmx149mx9mm	35mm (Min)
ART-SKT213USBBK	2 Gang Switched Double Socket With 4 X 2.1Mah USB	13A	Piano Black	215g	89mmx149mx9mm	35mm (Min)
ART-SKT213USBGO	2 Gang Switched Double Socket With 4 X 2.1Mah USB	13A	Champagne Gold	215g	89mmx149mx9mm	35mm (Min)

sales@trendiswitch.com

+44(0)203 5899 520

www.trendiswitch.com


sales@trendiswitch.com



+44(0)203 5899 520

DIMMER SWITCHES

- Fixing Centres: 60.3mm
- Operating Voltage: 220/240V AC
- Max Current Rating: 1.3A • Intended Applications: Indoor Use Only. Domestic lighting circuits.
- Applicable Safety Standard: BS EN 60669-2-1
- Safety Advice: Not suitable for use with non-dimmable fluorescent bulbs and tubes, wire-wound or toroidal transformers or electric motors. Do not overload.





New Trendi Dimmer 1, 2, 3 and 4 Gang coming soon.

ltem Code	Model	Max Load	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-DMWH	Artistic 1 Gang 1 Way Dimmer Switch	200W	Ice White	75g	88mmx88mx12mm	35mm (Min)
ART-DMSI	Artistic 1 Gang 1 Way Dimmer Switch	200W	Silver	75g	88mmx88mx12mm	35mm (Min)
ART-DMBK	Artistic 1 Gang 1 Way Dimmer Switch	200W	Piano Black	75g	88mmx88mx12mm	35mm (Min)
ART-DMGO	Artistic 1 Gang 1 Way Dimmer Switch	200W	Champagne Gold	75g	88mmx88mx12mm	35mm (Min)
	sales@trendiswitch.com	+44(0)203 5899 520			www.trendiswitch.co	om

FAN SPEED CONTROL

The Trendiswitch Fan Speed Controller offers precise control over a variable speed giving you full control over your ceiling fan. It allows you to adjust and determine your fans' speeds and thus ensuring a longer life to your fan motors. Safety Advice:

Not suitable for use with fans higher than 200W or fans that already have built-in fan speed control.



Item Code	Model	Max Load	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-SPDWH	Artistic 1 Gang Fan Speed Controller	200W	Ice White	75g	88mmx88mx12mm	35mm (Min)
ART-SPDSI	Artistic 1 Gang Fan Speed Controller	200W	Silver	75g	88mmx88mx12mm	35mm (Min)
ART-SPDBK	Artistic 1 Gang Fan Speed Controller	200W	Piano Black	75g	88mmx88mx12mm	35mm (Min)
ART-SPDGO	Artistic 1 Gang Fan Speed Controller	200W	Champagne Gold	75g	88mmx88mx12mm	35mm (Min)
	sales@trendiswitch.com	+44(0)203 5899 520			www.trendiswitch.co	om

+44(0)203 5899 520




trendiswitch

COOKER CONTROL PANEL

The Trendi artistic modern glossy cooker control panel 13 amp socket with 45 amp cooker switch and neon insert, is a stylish upgrade from the traditional control panel & is part of the full Trendiswitch range. Choose from ice white, silver, champagne gold or piano black faces to update all your old, existing sockets.







trendiswitch

ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-WHS213WH	Cooker Control Panel with 13 Amp Socket	13A/45A	Ice White	195g	89mmx149mx8mm	25mm (Min)
ART-WHS213SI	Cooker Control Panel with 13 Amp Socket	13A/45A	Silver	195g	89mmx149mx8mm	25mm (Min)
ART-WHS213BK	Cooker Control Panel with 13 Amp Socket	13A/45A	Piano Black	195g	89mmx149mx8mm	25mm (Min)
ART-WHS213GO	Cooker Control Panel with 13 Amp Socket	13A/45A	Champagne Gold	195g	89mmx149mx8mm	25mm (Min)
S	13 Amp Socket13 Amp Socket13 Amp Socket13 Amp Socket13 Amp Socket13 Amp Socket13 Amp Socket195g89mmx14938KCooker Control Panel with 13 Amp Socket13 A/45APiano Black195g89mmx149GOCooker Control Panel with 13 Amp Socket13 A/45AChampagne Gold195g89mmx149			www.trendiswitch.co	om	

FUSED SPURS

This model features a ice white, silver, champagne gold or piano black Finish & is part of the full Trendiswitch range. Operated by a designer chrome vertical Rocker Switch, it not only looks good, but is nice & easy to locate and flick on & off.

Trendi Switch products are easy to clean leaving a perfect gloss finish all year round. This product suitable for all 13A wiring circuits.



Item Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-FSWH	Switch Fused Spur with Flex Outlet	13A	Ice White	100g	88mmx88mx12mm	35mm (Min)
ART-FSSI	Switch Fused Spur with Flex Outlet	13A	Silver	100g	88mmx88mx12mm	35mm (Min)
ART-FSBK	Switch Fused Spur with Flex Outlet	13A	Piano Black	100g	88mmx88mx12mm	35mm (Min)
ART-FSGO	Switch Fused Spur with Flex Outlet	13A	Champagne Gold	100g	88mmx88mx12mm	35mm (Min)
	sales@trendiswitch.com	+44(0)203 5899 520			www.trendiswitch.co	om



20A/45A **NEON** DOUBLE POLE **SWITCHES**

Operated by a long designer chrome vertical Rocker Switch, it not only looks good, but is nice & easy to locate and flick on & off. Choose from ice white, silver, champagne gold or piano black faces to update all your old, existing switches.



89mm

CE

CE

Certified

Dimensions (H)x(W)x(D)

89mmx89mx8mm

89mmx89mx8mm

89mmx89mx8mm

89mmx89mx8mm

89mmx89mx8mm

89mmx89mx8mm

89mmx89mx8mm

89mmx89mx8mm

89mm

ABS

Fireproof

ABS Plastic

8mm

Earthed

Required Backbox

25mm (Min)

trendiswitch

Weight

125g

125g

125g

125g

125g

125g


125g

125g

COAXIAL SOCKETS

These 1 and 2 Gang coaxial sockets range combine great engineering with an elegant, slimline design and are part of the full Trendi Switch range. Choose from Ice White, Silver, Champagne Gold or Piano Black faces to update all your old, existing sockets.





ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-TVWH	1 Gang Television Coaxial Socket	N/A	Ice White	65g	88mmx88mx12mm	25mm (Min)
ART-TVSI	1 Gang Television Coaxial Socket	N/A	Silver	65g	88mmx88mx12mm	25mm (Min)
ART-TVBK	1 Gang Television Coaxial Socket	N/A	Piano Black	65g	88mmx88mx12mm	25mm (Min)
ART-TVGO	1 Gang Television Coaxial Socket	N/A	Champagne Gold	65g	88mmx88mx12mm	25mm (Min)
ART-2TVWH	2 Gang Television Coaxial Socket	N/A	Ice White	65g	88mmx88mx12mm	25mm (Min)
ART-2TVSI	2 Gang Television Coaxial Socket	N/A	Silver	65g	88mmx88mx12mm	25mm (Min)
ART-2TVBK	2 Gang Television Coaxial Socket	N/A	Piano Black	65g	88mmx88mx12mm	25mm (Min)
ART-2TVGO	2 Gang Television Coaxial Socket	N/A	Champagne Gold	65g	88mmx88mx12mm	25mm (Min)

sales@trendiswitch.com

Model

ART-WHS1WH Artistic Modern 1 Gang Pole Switch

ART-WHS1SI Artistic Modern 1 Gang Pole Switch

ART-WHS1BK Artistic Modern 1 Gang Pole Switch

ART-WHS1GO Artistic Modern 1 Gang Pole Switch

ART-WHS2WH Artistic Modern 1 Gang Pole Switch

ART-WHS2SI Artistic Modern 1 Gang Pole Switch

ART-WHS2BK Artistic Modern 1 Gang Pole Switch

ART-WHS2GO Artistic Modern 1 Gang Pole Switch

Item Code

+44(0)203 5899 520

Colour

Ice White

Silver

Piano Black

Champagne Gold

Ice White

Silver

Piano Black

Champagne Gold

Max Current

20 A

20 A

20 A

20 A

45 A

45 A

45 A

45 A

www.trendiswitch.com


sales@trendiswitch.com

+44(0)203 5899 520

CAT 5/6 SOCKETS

These modern single and twin ethernet sockets are suitable for both Cat5 & Cat6 installations and are part of the full Trendiswitch range. Choose from Ice White, Silver, Champagne Gold or Piano Black faces to update all your old, existing sockets.





ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)	Required Backbox
ART-PCWH	Single Ethernet Socket	N/A	Ice White	Ice White 65g 88mmx88mx12mm		35mm (Min)
ART-PCSI	Single Ethernet Socket	N/A	Silver	65g	88mmx88mx12mm	35mm (Min)
ART-PCBK	Single Ethernet Socket	N/A	Piano Black	65g	88mmx88mx12mm	35mm (Min)
ART-PCGO	Single Ethernet Socket	N/A	Champagne Gold	65g	88mmx88mx12mm	35mm (Min)
ART-2PCWH	Dual Ethernet Socket	N/A	Ice White	75g	88mmx88mx12mm	35mm (Min)
ART-2PCSI	Dual Ethernet Socket	N/A	Silver	75g	88mmx88mx12mm	35mm (Min)
ART-2PCBK	Dual Ethernet Socket	N/A	Piano Black	75g	88mmx88mx12mm	35mm (Min)
ART-2PCGO	Dual Ethernet Socket	N/A	Champagne Gold	75g 88mmx88mx12mm		35mm (Min)

sales@trendiswitch.com

+44(0)203 5899 520

www.trendiswitch.com




sales@trendiswitch.com

+44(0)203 5899 520

TELEPHONE SOCKETS


These stylish telephone sockets are RJ11 compliant, combine great engineering with an elegant, slimline design and are part of the full Trendiswitch range. Choose from Ice White, Silver, Champagne Gold or Piano Black faces to update all your old, existing sockets.





TELEVISION CO-AXIAL & **TELEPHONE** /PC

These stylish telephone sockets are RJ11 and RJ45 compliant, combine great engineering with an elegant, slimline design and are part of the full Trendiswitch range. Choose from Ice White, Silver, Champagne Gold or Piano Black faces to update all your old, existing sockets.



ltem Code	Model	Max Current	Colour Weight		Dimensions (H)x(W)x(D)	Required Backbox
ART-TLP+TVWH	TV, Co-axial & Telephone	N/A	Ice White	Ice White 65g 8		35mm (Min)
ART-TLP+TVSI	TV, Co-axial & Telephone	N/A	Silver	65g	88mmx88mx12mm	35mm (Min)
ART-TLP+TVBK	TV, Co-axial & Telephone	N/A	Piano Black	65g	88mmx88mx12mm	35mm (Min)
ART-TLP+TVGO	TV, Co-axial & Telephone	N/A	Champagne Gold	65g	88mmx88mx12mm	35mm (Min)
ART-TV+PCWH	TV, Co-axial & PC Ethernet	N/A	Ice White	65g	88mmx88mx12mm	35mm (Min)
ART-TV+PCSI	TV, Co-axial & PC Ethernet	N/A	Silver	65g	88mmx88mx12mm	35mm (Min)
ART-TV+PCBK	TV, Co-axial & PC Ethernet	N/A	Piano Black	65g	88mmx88mx12mm	35mm (Min)
ART-TV+PCGO	TV, Co-axial & PC Ethernet	N/A	Champagne Gold	65g	88mmx88mx12mm	35mm (Min)

sales@trendiswitch.com

2 Gang Telephone

2 Gang Telephone

2 Gang Telephone

ART-2TLPSI

ART-2TLPBK

ART-2TLPGO

+44(0)203 5899 520

Silver

Piano Black

Champagne Gold

85g

85g

85g

N/A

N/A

N/A

www.trendiswitch.com

88mmx88mx12mm

88mmx88mx12mm

88mmx88mx12mm

35mm (Min)

35mm (Min)

35mm (Min)

sales@trendiswitch.com


+44(0)203 5899 520



BLANKING PLATES

These stylish blanking plates are a sleek and discreet way of hiding unwanted power sockets. Choose from Ice White, Silver, Champagne Gold or Piano Black faces to update all your old, existing sockets.







ltem Code	Model	Max Current	Colour	Weight	Dimensions (H)x(W)x(D)
ART-BLKWH	Single Blanking Plate	N/A	Ice White	70g	88mmx88mx12mm
ART-BLKSI	Single Blanking Plate	N/A	Silver	70g	88mmx88mx12mm
ART-BLKBK	Single Blanking Plate	N/A	Piano Black	70g	88mmx88mx12mm
ART-BLKGO	Single Blanking Plate	N/A	Champagne Gold	70g	88mmx88mx12mm
ART-2BLKWH	Double Blanking Plate	N/A	Ice White	90g	89mmx149mx9mm
ART-2BLKSI	Double Blanking Plate	N/A	Silver	90g	89mmx149mx9mm
ART-2BLKBK	Double Blanking Plate	N/A	Piano Black	90g	89mmx149mx9mm
ART-2BLKGO	Double Blanking Plate	N/A	Champagne Gold	90g	89mmx149mx9mm

sales@trendiswitch.com


+44(0)203 5899 520

www.trendiswitch.com

-50













DID YOU KNOW WE CAN PRODUCE ANY COLOUR YOUR HEART & HOME DESIRES?

The process for producing a bespoke finish for you starts with the RAL colour you require. We take the raw plates for the products you choose and these are sent to our painting facility based in Belfast, Ireland where the team prime and paint the product. These are then sent back to our assembly line in West Sussex where your unique Trendi Switches are born and sent to you.

If this service is of interest to you. Contact your chosen reseller for more information.

sales@trendiswitch.com

+44(0)203 5899 520


www.trendiswitch.com

trendiswitch[®] **ARE YOU** DEFINED BY DESIGN ?



+44(0)203 5899 520

trendiswitch[®] **GLOBAL**TRENDI BRAND



Trendi Switch is globally renowned and our products are already available in a large selection of countries worldwide.

If being a part of one of the fastest growing and most distinctive wiring accessories brands excites you we would love to hear from you.

Email: trade@trendiswitch.com

Telephone: +44(0)2035899520

trendiswitch® **ARE YOU** DEFINED BY DESIGN ?

ARE YOU AN ARCHITECT, INTERIOR DESIGNER OR WORKING WITH A HOTEL GROUP?





All trendiswitch products are certified to British Standard, CE & CB approved. The information in this catalogue is for guaranteed trendiswitch products only, trademark licence no.UK00003001848.

The technical information contained in this catalogue is for general information purposes only. The information is provided by Trendiswitch and whilst we endeavour to keep the information up-to-date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability or suitability with respect to the catalogue or the information related to images contained here for any purpose. Any reliance you place on such information is therefore strictly at your own risk.

In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.

If in any doubt, we recommend that you please consult a qualified electrician.

sales@trendiswitch.com +44(0)203 5899 520 www.trendiswitch.com

ARE YOU INVOLVED IN A LARGE BUILDING PRODUCT WITH A COLOUR SCHEME YOU'D LIKE TO MATCH ALL YOUR LIGHT SWITCHES AND PLUG SOCKETS TO?

THEN TRENDISWITCH CAN HELP!

WITH TRENDISWITCH YOU CAN CHOOSE FROM ANY RAL COLOUR AND, SUBJECT TO QUANTITY EMINIMUM **ORDER 30 PIECES] WE CAN MATCH** YOUR DESIRED COLOUR.



SHOWROOM - TRENDI SWITCH LTD, 1 HIGH STREET, FOREST ROW, EAST SUSSEX, RH18 5ES, UNITED KINGDOM +44(0)2035899520 | WWW.TRENDISWITCH.COM | SALES@TRENDISWITCH.COM TRADE@TRENDISWITCH.COM | MARKETING@TRENDISWITCH.COM | ACCOUNTS@TRENDISWITCH.COM

HEAD OFFICE - TRENDI SWITCH LTD, PO BOX 890, FOREST ROW, EAST SUSSEX, RH19 9LX, UNITED KINGDOM